Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
# .				Operator		
L1	2	"6488354".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/29 10:35
S1	2	"20040155924"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/24 10:13
S2	63902	"347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF /	2005/11/08 14:47
S3	52550	light near (magenta or cyan or yellow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 14:47
S4	406500	magenta or cyan or yellow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 14:48
S5	1388	S2 S3 S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 14:48
S6	59369	(dots or drops or droplets or spots) near9 (size or shape or diameter or sizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:26
S7	391	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 14:51

S8	2	"09164706"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 14:52
S9	48770	(dots or drops or droplets or spots) near5 (size or shape or diameter or sizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:09
S10	48770	S6 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:09
S11	352·	S5 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:07
S12	1	different near4 sized near4 droplets and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:22
S13 ·	2	large\$2 near drop\$5 same darker and small\$2 near drop\$5 same lighter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:23
S14	0	large\$2 near drop\$5 same darker and small\$2 near drop\$5 same lighter and "347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:23
S15	13469	(dots or drops or droplets or spots) near9 (small or large or big or greater or less) near9 (size or shape or diameter or sizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:26

S16	102	S7 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ÖFF	2005/11/08 15:27
S17	0	(dots or drop\$4) near different near sizes same highlight and "347"/\$3. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 08:31
S18	2	(dots or drop\$4) near4 different near4 sizes same highlight and "347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 08:34
S19	4	(dots or drop\$4) near4 different near4 size same highlight and "347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 08:32
S20	4	(dots or drop\$4) near4 different near4 sizes near9 light and "347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 08:34
S21	1207	"347"/\$3.ccls. and halfton\$4 and nozzles	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 08:41
S22	11	"347"/\$3.ccls. and halfton\$4 and ejecting adj sections	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 08:42
S23	1	"20040155924" and halftone same highlight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:07

			F	T		
S24	63902	"347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:07
S25	52550	light near (magenta or cyan or yellow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:07
S26	406500	magenta or cyan or yellow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:07
S27	1388	S24 S25 S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:07
S28	48770	(dots or drops or droplets or spots) near5 (size or shape or diameter or sizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:07
S29	42	S27 and S28 and (highlight or high\$light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 10:07
S30		"6963423" and large and small and dots	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:54
S31	1	"6963423" and (large and small) same dots	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:55

S32	46	"347"/\$3.ccls. and (S28 same	US-PGPUB;	AND	OFF	2005/11/10 11:16
332	70	(highlight or high\$light))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		OI I	2505) 11, 10 11.10
534	48821	(dots or drops or droplets or spots) near5 (size or shape or diameter or sizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/10 10:24
S35	1	"347"/\$3.ccls. and (S34 same (highlight or high\$light)) and computer and ((storage or readable) near5 medium) and method near5 manufacturing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/10 10:28
S36		"347"/\$3.ccls. and (S34 same (highlight or high\$light)) and computer and ((storage or readable) near5 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/10 10:37
S37	4	"347"/\$3.ccls. and (S34 same (highlight or high\$light)) and method near manufactur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/10 12:07
S38	, 21	"347"/\$3.ccls. and (\$34 same (highlight or high\$light)) and (cariage or carriage or caraige or carraige or hold\$3 and engag\$4 near9 first near\$eject\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/14 09:57
S39	0	"347"/\$3.ccls. and (\$34 same (highlight or high\$light)) and (cariage or carriage or carraige or carraige or hold\$3) and (engag\$4 near9 first near\$eject\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:57
S40	. 1	"347"/\$3.ccls. and (S34 same (highlight or high\$light)) and (cariage or carriage or carraige or carraige or hold\$3) and (engag\$4 near9 first near9 eject\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/10 12:06

S41	2	"20050078163"	US-PGPUB;	AND	OFF	2005/11/14 07:56
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S44	491	"347"/\$3.ccls. and light near (cyan or magenta or yellow) and (cyan or magenta or yellow) same carriage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/14 10:01
S45	34	"347"/\$3.ccls. and light near (cyan or magenta or yellow) and (cyan or magenta or yellow) same carriage same (stationary or line\$type or page\$width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/14 10:08
S46	19	darkness same 100% and "347"/\$3. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/14 16:05
S47	3	"6764158"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/14 16:05
S48	814	347/9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/18 06:21
S49	0	"10725348"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/24 10;13
S50	1	"10/725348"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/24 10:58

S51	239068	(section with highlight or light) and (section with cyan or magenta or yellow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/24 10:19
S52	2	("09164706")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/24 10:20
S53	6	(high\$light\$3 near (region or area or section) with different with (low\$light or regular or ink)) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/24 10:52
S54	33	(light near (cyan or magenta or yellow)) and (cyan and magenta and yellow) with (regions or areas or sections) with (different) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/24 10:29
S55	2	"20020060706"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/24 10:52
S56	2	"20020060706".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 10:52
S57	1	10/725348	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 10:58
S58	1	10/796781	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 10:58

S59	1005	(heads or print\$heads) same (rows with (nozzle\$1 or ejector\$1 or orifice))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:25
S60	599	(heads or print\$heads) same (rows with (nozzle\$1 or ejector\$1 or orifice)) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:25
S61	348	(heads or print\$heads) with (rows with (nozzle\$1 or ejector\$1 or orifice)) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:35
S62	2	"20020008732"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:30
S63	2	"20020008731"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:36
S64	2	"6439683".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:30
S65		tsschida.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:36
S66	1	10/725348	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:36

S67	91	tschida.in.	US-PGPUB;	AND	OFF	2006/05/11 12:37
	91	Condum.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AIT	311	2000/03/11 12:37
S68	4	"676158".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:57
S69	2	"6439683".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 13:00
S70	1391	"347"/\$3 and (vibrat\$4 or oscillat\$4) same (light\$2 or dark\$2 or deep\$2 or white or high\$1light\$3 or low\$1light\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/09 10:28
S71	288	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (great\$2 or less or more or few\$2 or high\$2 or low\$2) with (light\$2 or dark\$2 or deep\$2 or white or high\$1light\$3 or low\$1light\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/09 11:00
S72	0	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (great\$2 or less or more or few\$2 or high\$2 or low\$2) with (high\$1light\$3 or low\$1light\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/09 10:53
S73	1	10/725348	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/09 10:53
S74	. 14	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (great\$2 or less or more or few\$2 or high\$2 or low\$2) with (((light\$2 or dark\$2 or deep\$2) with (color\$3 or pigment or coloration or dye)) or (white or high\$1light\$3 or low\$1light\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/22 10:08

S75	6	"347"/\$3 and (greater or higher or more) with (vibrat\$4 or oscillat\$4) with (dark or black or darker or low\$light\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/22 10:08
S76	546	"347"/\$3 and (greater or higher or more) with (vibrat\$4 or oscillat\$4) with (eject\$3 or print\$1head or head or cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/09 12:23
S77	71	"347"/\$3 and (greater or higher or more) with (vibrat\$4 or oscillat\$4) with (eject\$3 or print\$1head or head or cartridge) same (viscosity or pigment or dye or colorant or coloring or thickness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/09 12:24
S78	104	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (dark or black or darker or low\$light\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/22 10:08
S79	64	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (((light\$2 or dark\$2 or deep\$2) with (color\$3 or pigment or coloration or dye)) or (white or high\$1light\$3 or low\$1light\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/27 08:00
S80	17	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (ink with (thickness or viscosity or concentration)) and ((ink with (thickness or viscosity or concentration)) same (((light\$2 or dark\$2 or deep\$2) with (color\$3 or pigment or coloration or dye)) or (white or high\$1light\$3 or low\$1light\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/27 08:19